


SECTION A'-A' (Fragment 1) 1:100



SECTION A'-A' (Fragment 2) 1:100



CLIENT
Louth County Council PROJECT
Westgate 2040, Drogheda

corten weathering steel pilar 200x200 mm corten weathering steel beam 200x200 mm corten weathering steel canopy plate

corten weathering steel ridge beam 6. foundation buildup to engineers specification light projector, enclosed in the pavement, fixed up on the

7. light projector, enclosed in the pavement, fixed up on the base of each pillar/ tree's pit
8. glass bullets for filling the pavilion roof perforations, dimensions: 20mm and 50 mm diameter
9. metal plate, drain gutter 300mm wide
10. natural stone drainage slot 300 mm wide
11. natural stone slabs & setts to pavements
12. corten steel kerb 5 mm thickness
13. gravel, light brown colour, 10-15 mm diameter
14. light stripe, mounted underneath the boardwalk
15. wooden planks 200x100 mm, length 1500mm
16. metal structure for supporting the wooden elements

16. metal structure for supporting the wooden elements

17. wood circular pillars 200mm diameter
18. rigid concrete slab buildup to engineers specification
19. corten weathering steel plate, 300mm wide enclosed in
the pavement marking the trace of the old town wall
20. metal grid 1000x1000mm, fixed up around each tree trunk
21. cycle lane coloured asphalt
22. inclined road finishing 1% towards the drain slot
23. corten weathering steel plates enclosed in the gravel
24. corten weathering steel handrail 5 mm thickness
25. corten steel 2 mm bench
26. step 170 mm height
27. corten steel wall panel
28. corten steel Abbev information sign

rectangular pipe grid, 50x100 mm 17. wood circular pillars 200mm diameter

28. corten steel Abbey information sign 29. corten Access gate door 30. Glass panel / glass infill panel

corten weathering steel reinforcement beam 20x100 mm

DRAWING
Section A'-A' - George's
Street to Old Abbey Lane

PROJECT NUMBER DRAWING NUMBER AUTHOR
LOUX3001-P-000-115-A RPS

ARROW Turley
Nørre Farimagsgade 13, 40 Queen Square,
Mezz. Th. Bristol
1364 Copenhagen K BS1 4QP



+26.09 +25.20 TExisting Stone Wall 1700 5600 6590 8355 SECTION C-C 1:100

Copyright of Turley and Arrow Architects ApS

application purposes only. No liability or responsibility is accepted arising from reliance upon the information contained within this drawing.

Dimensions shown in millimeters, height marks in meters.

CLIENT

Louth County Council

PROJECT

Westgate 2040, Drogheda

DRAWING

Section C-C Old Abbey Lane

PROJECT NUMBER

LOUB3004

DRAWING NUMBER

AUTHOR LOUX3001-P-000-116-A

REVISION

N/A

STATUS

DATE

SCALE 28.08.2023 1:100 @ A3

ADDRESS

ARROW Nørre Farimagsgade 13, Mezz. Th. 1364 Copenhagen K


Turley 40 Queen Square, Bristol BS1 4QP

RPS




Copyright of Turley and Arrow Architects ApS


This drawing is for illustrative purposes only and should not be used any construction or estimation purposes. To be scaled for planning application purposes only. No liability or responsibility is accepted a from reliance upon the information contained within this drawing. Dimensions shown in millimeters height marks in meters.



SECTION P-P 1:50




SECTION D-D 1:50




SECTION E-E 1:50

Louth County Council Westgate 2040, Drogheda DRAWING Sections P-P, D-D and E-E George's Square PROJECT NUMBER LOUB3004 DRAWING NUMBER AUTHOR LOUX3001-P-000-117-A STATUS REVISION N/A 1:100 @ A2 28.08.2023 ADDRESS Turley 40 Queen Square, Bristol BS1 4QP ARROW Nørre Farimagsgade 13, Mezz. Th. 1364 Copenhagen K

RETAINING WALL, TO BE RETEANNED 2000 2380 6305 450, 1005 2495 CYCLE LANE FOOTPATH MANAGEMENT RETAINING WALL WALTER WALKDAYN



SECTION R-R 1:50 SECTION H-H 1:50




SECTION I-I 1:50

Louth County Council PROJECT Westgate 2040, Drogheda DRAWING Sections R-R, H-H and I-I Medieval Wall Area PROJECT NUMBER LOUB3004 DRAWING NUMBER AUTHOR LOUX3001-P-000-118-A REVISION STATUS N/A 1:50 @ A2 28.08.2023 ADDRESS ARROW Turley
Nørre Farimagsgade 13,
Mezz. Th. Bristol
1364 Copenhagen K BS1 4QP

Copyright of Turley and Arrow Architects ApS







Copyright of Turley and Arrow Architects ApS

Dimensions shown in millimeters, height marks in meters.

- corten weathering steel pilar 200x200 mm
- corten weathering steel beam 200x200 mm corten weathering steel canopy plate
- corten weathering steel reinforcement beam 20x100 mm corten weathering steel ridge beam
- foundation buildup to engineers specification
- light projector, enclosed in the pavement, fixed up on the
- base of each pillar/ tree's pit
- 8. glass bullets for filling the pavilion roof perforations,
- dimensions: 20mm and 50 mm diameter
- metal plate, drain gutter 300mm wide
 natural stone drainage slot 300 mm wide
- 11. natural stone slabs & setts to pavements12. corten steel kerb 10 mm thickness
- gravel, light brown colour, 10-15 mm diameter
- light stripe
- wooden planks 200x100 mm, length 1500mm
- wooden substructure, dimensions according to SE wood circular pillars 200mm diameter

- 17. wood circular pillars 200mm diameter
 18. natural stone slabs engineers specification
 19. corten weathering steel plate, 300mm wide enclosed in the pavement marking the trace of the old town wall
 20. metal grid 1000x1000mm, fixed up around each tree trunk
 21. cycle lane coloured asphalt
 22. inclined road finishing 1% towards the drain slot
 23. corten weathering steel plates enclosed in the gravel
 24. corten weathering steel handrail 5 mm thickness
 25. corten steel 2 mm bench
 26. step 170 mm height
 27. corten steel wall panel
 28. corten steel Abbey information sign
 29. corten Access gate door

CLIENT

PROJECT

DRAWING

Riverside

REVISION N/A

28.08.2023

ADDRESS

Louth County Council

Section K-K and L-L

PROJECT NUMBER LOUB3004

DRAWING NUMBER LOUX3001-P-000-120-A

Nørre Farimagsgade 13,

1364 Copenhagen K

Westgate 2040, Drogheda

- 29. corten Access gate door30. Glass panel / glass infill panel


STATUS

SCALE


1:50 @ A2

40 Queen Square,

BS1 4QP



SECTION M-M 1:50



Copyright of Turley and Arrow Architects ApS

- corten weathering steel pilar 200x200 mm corten weathering steel beam 200x200 mm
- corten weathering steel canopy plate
- corten weathering steel reinforcement beam 20x100 mm
- corten weathering steel ridge beam foundation buildup to engineers specification
- light projector, enclosed in the pavement, fixed up on the
- base of each pillar/ tree's pit
- glass bullets for filling the pavilion roof perforations, dimensions : 20mm and 50 mm diameter
- metal plate, drain gutter 300mm wide
- natural stone drainage slot 300 mm wide
- natural stone slabs & setts to pavements
- corten steel kerb 10 mm thickness gravel, light brown colour, 10-15 mm diameter
- light stripe wooden planks 200x100 mm, length 1500mm

13. 14.

- wooden substructure, dimensions according to SE wood circular pillars 200mm diameter

- 18. natural stone slabs engineers specification

 19. corten weathering steel plate, 300mm wide enclosed in the pavement marking the trace of the old town wall

 20. metal grid 1000x1000mm, fixed up around each tree trunk

 21. cycle lane coloured asphalt

 22. inclined road finishing 1% towards the drain slot
- corten weathering steel plates enclosed in the gravel corten weathering steel handrail 5 mm thickness
- corten steel 2 mm bench
- step 170 mm height
- corten steel wall panel

CLIENT

PROJECT

DRAWING

Riverside

LOUB3004

REVISION

28.08.2023

Section M-M and S-S

PROJECT NUMBER

DRAWING NUMBER LOUX3001-P-000-121-A

- 28. corten steel Abbey information sign
- 29. corten Access gate door30. Glass panel / glass infill panel


STATUS

SCALE

1:50 @ A2

40 Queen Square,

BS1 4QP



Copyright of Turley and Arrow Architects ApS

- corten weathering steel pilar 200x200 mm
- corten weathering steel beam 200x200 mm
- corten weathering steel canopy plate
- corten weathering steel reinforcement beam 20x100 mm
- corten weathering steel ridge beam
- foundation buildup to engineers specification
- light projector, enclosed in the pavement, fixed up on the base of each pillar/ tree's pit
- glass bullets for filling the pavilion roof perforations, dimensions: 20mm and 50 mm diameter
- metal plate, drain gutter 300mm wide
- natural stone drainage slot 300 mm wide
- 11. natural stone slabs & setts to pavements
- corten steel kerb 10 mm thickness
- gravel, light brown colour, 10-15 mm diameter
- 13. 14.
- light stripe
- wooden planks 200x100 mm, length 1500mm 15.
- wooden substructure, dimensions according to SE 16.
- 17. wood circular pillars 200mm diameter
- 18. natural stone slabs engineers specification
- corten weathering steel plate, 300mm wide enclosed in the pavement marking the trace of the old town wall
- 20. metal grid 1000x1000mm, fixed up around each tree trunk
- 21. cycle lane coloured asphalt
- 22. inclined road finishing 1% towards the drain slot
- 23. corten weathering steel plates enclosed in the gravel 24.
 - corten weathering steel handrail 5 mm thickness
- 25. corten steel 2 mm bench
- 26. step 170 mm height
- 27. corten steel wall panel
- corten steel Abbey information sign
- 29. corten Access gate door
- Glass panel / glass infill panel

CLIENT			
Louth	County	Council	

PROJECT

Westgate 2040, Drogheda

DRAWING

Section T-T

Father Connolly Way

PROJECT NUMBER

LOUB3004

DRAWING NUMBER

LOUX3001-P-000-122-A

STATUS **REVISION**

N/A

SCALE

AUTHOR

RPS

DATE 28.08.2023


1:50 @ A3

ADDRESS

ARROW Nørre Farimagsgade 13, Mezz. Th. 1364 Copenhagen K


Turley 40 Queen Square, Bristol BS1 4QP











Copyright of Turley

This drawing is for illustrative purposes only and should not be used for any construction or estimation purposes. To be scaled for planning application purposes only. No liability or responsibility is accepted arising from reliance upon the information contained within this drawin.

All dimensions shown in meters

KF

Site Boundary

Corten pavement insert to delineate wayfinding route

PROJECT
Westgate 2040, Drogheda

DRAWING
Section V-V - Scholes Lane

PROJECT NUMBER
LOUB3004

DRAWING NUMBER
LOUX3001-P-000-124-A

REVISION
STATUS
D
Final

ADDRESS

September 2023

CLIENT

Louth County Council

Turley 40 Queen Square, Bristol BS1 4QP

1:50@ A3

SCALE




any construction of estimation purposes. To be scaled for pianning application purpose only. No liability or responsibility is accepted from reliance upon the information contained within this drawing.

All dimensions shown in meters

KEY


Corten pavement insert to delineate wayfinding route

Copyright of Turley and Arrow Architects ApS



Section X-X West Street

Section W-W West Street



CLIENT
Louth County Council

PROJECT
Westgate 2040, Drogheda

DRAWING
Sections W-W and X-X - West Street


PROJECT NUMBER
LOUB3004


DRAWING NUMBER
LOUX3001-P-000-125-A

REVISION
B
STATUS
B
Final
DATE
September 2023
1:50 @ A1

ADDRESS


Turley 40 Queen Square, Bristol BS1 4QP





Section Y-Y Patrickswell Lane

Section Z-Z Patrickswell Lane



CLIENT
Louth County Council

PROJECT
Westgate 2040, Drogheda

DRAWING
Sections Y-Y and Z-Z Patrickswell Lane

PROJECT NUMBER
LOUB3004

DRAWING NUMBER
LOUX3001-P-000-126-A


REVISION
C
Final


DATE
September 2023
1:50 @ A1

ADDRESS

Turley
40 Queen Square,
Bristol
BS1 4QP









CLIENT
Louth County Council

PROJECT

Westgate 2040, Drogheda

DRAWING
Sections AA-AA and BB-BB
Dominick Street
PROJECT NUMBER

DRAWING NUMBER A LOUX3001-P-000-127-A

REVISION C

ADD

Turley 40 Queen Square, Bristol BS1 4QP


1:50 @ A1

Copyright of Turley

This drawing is for illustrative purposes only and should not be used for any construction or estimation purposes. To be scaled for planning application purposes only. No liability or responsibility is accepted arising from reliance upon the information contained within this drawi

Site Boundary

Corten steel ground insert delineating the location of the former medieval town wall



CLIENT **Louth County Council** PROJECT Westgate 2040, Drogheda DRAWING Section CC-CC - Wellington Quay PROJECT NUMBER LOUB3004 DRAWING NUMBER **AUTHOR** LOUX3001-P-000-128-A AW **REVISION** STATUS Final DATE SCALE September 2023 1:50@ A3

ADDRESS

Turley 40 Queen Square, Bristol BS1 4QP



